Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1421	golf adj ball and (mold\$3 or mould\$3)	EPO; JPO; DERWENT	OR	ON	2005/01/19 08:51
L2	0	1 and (primer with (fluorocarbon or teflon or fluoropolymer))	US-PGPUB; USPAT	OR	ON	2005/01/19 08:50
13	0	1 and (fluorocarbon or teflon or fluoropolymer)	US-PGPUB; USPAT	OR	ON	2005/01/19 08:51
L4	Ú,	1 and (fluorocarbon or teflon or fluoropolymer or PTFE)	US-PGPUB; USPAT	OR	ON	2005/01/19 08:51
L5	3516	golf adj ball and (mold\$3 or mould\$3)	USPAT	OR	ON	2005/01/19 08:51
L6	172	5 and (fluorocarbon or teflon or fluoropolymer or PTFE)	USPAT	OR	ON	2005/01/19 08:51
L7	37	6 and primer	USPAT	OR	ON	2005/01/19 08:51

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1.	5092	427/135,470,475,476,485,486, 181,202,203,409,282.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/19 06:59
Ľ2	3	427/135.ccls. and 427/470,475, 476,485,486.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/19 07:07
Ľ	0	2 and primer	US-PGPUB; USPAT	OR	ON	2005/01/19 07:01
L4	756	1 and primer	US-PGPUB; USPAT	OR	ON	2005/01/19 07:06
L5	712	4 and (metal\$3 or steel)	US-PGPUB; USPAT	OR	ON	2005/01/19 07:01
L6	109	(primer with powder) and 5	US-PGPUB; USPAT	OR	ON	2005/01/19 07:26
L7	22	6 and nylon	US-PGPUB; USPAT	OR	ON	2005/01/19 07:02
L8	10	427/136.ccls. and primer and powder\$2	US-PGPUB; USPAT	OR	ON	2005/01/19 07:07
L9	118	(mold or tool) and 427/470,475, 476,485,486.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/19 07:08
L10	15	9 and primer	US-PGPUB; USPAT	OR	ON	2005/01/19 07:11
L11	120	1 and primer and powder and composite	US-PGPUB; USPAT	OR	ON	2005/01/19 07:12
L12	21	(primer with powder) and composite and electrostatic\$4 and tool\$3	US-PGPUB; USPAT	OR	ON	2005/01/19 07:46
L13	2	12 and (primer with nylon)	US-PGPUB; USPAT	OR	ON	2005/01/19 07:27
L14	11	"427"/\$.ccls. and (primer with nylon) and electrostatic\$4 and powder	US-PGPUB; USPAT	OR	ON	2005/01/19 07:48
L15	0	(primer with powder) and composite and electrostatic\$4 and tool\$3	EPO; JPO; DERWENT	OR	ON	2005/01/19 07:46
L16	0	(primer with powder) and electrostatic\$4 and tool\$3	EPO; JPO; DERWENT	OR	ON	2005/01/19 07:47
L17	665	electrostatic\$4 and tool\$3	EPO; JPO; DERWENT	OR	ON	2005/01/19 07:47
L18	3	17 and primer	EPO; JPO; DERWENT	OR	ON	2005/01/19 07:47
L19	81	(primer with powder) and (mold\$3 or mould\$3)	EPO; JPO; DERWENT	OR	ON	2005/01/19 07:48
L20	81	19 and powder	EPO; JPO; DERWENT	OR	ON	2005/01/19 07:48

L21	0	19 and nylon near6 powder	EPO; JPO; DERWENT	OR	ON	2005/01/19 07:48
L22	1	19 and nylon	EPO; JPO; DERWENT	OR	ON	2005/01/19 07:48
L23	32	"427"/\$.ccls. and (primer with (fluorocarbon or teflon or fluoropolymer)) and electrostatic\$4 and powder	US-PGPUB; USPAT	OR	ON	2005/01/19 07:50